



1 2 3

1		2		3							d <sub>3</sub>	d <sub>4</sub>	h <sub>1</sub>	h <sub>2</sub>	h <sub>3</sub>	h <sub>4</sub> Stroke	
l <sub>1</sub>	d <sub>1</sub>			l <sub>2</sub>													
22	M 3	-		6	8	10	12	16	-	-	8	10,5	18,5	2	23	3	
22	M 4	M 5		12	16	20	25	32	-	-	8	10,5	18,5	2	23	3	
30	M 4	-		12	16	20	25	32	-	-	10	13	24,5	4	31	3,5	
30	M 5	M 6		12	16	20	25	32	40	50	10	13	24,5	4	31	3,5	
45	M 4	-		12	16	20	25	32	-	-	10	13	24,5	4	34	3,5	
45	M 5	M 6		12	16	20	25	32	40	50	10	13	24,5	4	34	3,5	
63	M 6	M 8		16	20	25	32	40	50	63	13,5	17,5	31	6,5	45	4	
78	M 8	M 10		20	25	32	40	50	63	80	16	21	36	8	54	4	
92	M 10	M 12		20	25	32	40	50	63	80	19	24	43	11	64	4	
108	M 16	-		32	40	50	63	80	-	-	23	30	50,5	12	75	5	

**Specification**

- Handle  
Zinc die casting
- Powder coated  
Black, RAL 9005, textured finish ● **SW**  
Orange, RAL 2004, textured finish ● **OS**  
Red, RAL 3000, textured finish ● **RS**  
Silver, RAL 9006, textured finish ● **SR**
- Chrome plated ● **CR**
- Uncoated ● **RH**  
Tumbled
- Threaded stud and retaining screw  
Steel  
Zinc plated, blue passivated
- RoHS

**Information**

Adjustable hand levers GN 300.2 are ideal whenever parts have to be clamped in a confined space or in a particular lever position. The centre insert is connected to the lever via serrations which can easily be disengaged.

Pulling the lever, disengages the serrations and allowing it to be swivelled to the ideal clamping position. On releasing the lever the serrations automatically re-engage.

see also...

- Adjustable Hand Levers GN 300 (Threaded Stud Steel, Blackened) → Page 429
- Adjustable Hand Levers GN 300.1 (Threaded Stud Stainless Steel) → Page 439
- Adjustable Stainless Steel Hand Levers GN 300.5 (Matte Shot-Blasted) → Page 441
- Adjustable Hand Levers GN 303.2 (with Push Button, Threaded Stud Steel) → Page 445

How to order

1	l <sub>1</sub>
2	d <sub>1</sub>
3	l <sub>2</sub>
4	Color (Finish)

**GN 300.2-63-M6-25-RS**

