



1 l_1	2 d_1			d_3	d_4	h_1	h_2	h_3	h_4 Stroke	t min.
30	M 3	-	-	10	13	26,5	4	31	3,5	7
30	M 4	M 5	M 6	10	13	26,5	4	31	3,5	8
45	M 4	M 5	M 6	10	13	26,5	4	35	3,5	8
63	M 6	M 8	-	13,5	17,5	32,5	6,5	45	4	11
78	M 8	M 10	-	16	21	37,5	8	55	4	14

Specification

- Handle
Zinc die casting
- Powder coated
Black, RAL 9005
Textured finish **● SW**
- Releasing button
Plastic
Black, RAL 9005 **● S**
Orange, RAL 2004 **● O**
Gray, RAL 7035 **● G**
- Threaded bushing
Stainless steel AISI 303
- *Stainless Steel Characteristics* → Page 2166
- RoHS

On request

- Handle in colors of GN 300

Information

Adjustable hand levers GN 303.1 are ideal whenever parts have to be clamped in a confined space or in a particular lever position. The centre insert is connected to the lever via serrations which can easily be disengaged.

The releasing button is a design element that offers an easy disengagement. Its use is limited to applications where dismantling of the lever for installation is not required.

see also...

- *Adjustable Hand Levers GN 303.2 (with Push Button, Bushing Steel)*
→ Page 444

How to order

1	l_1
2	d_1
3	Color handle
4	Color releasing button

GN 303.1-78-M10-SW-S