



Assembly examples



Application example



d₁	d₂ +0,1 Bore	d₃	d₄ -0,05	l₁	l₂	l₃	A/F	t
M 12 x 1,5	B 4,2	24	12	10	16	5	3	11
M 12 x 1,5	B 5,2	24	12	10	16	5	4	11
M 12 x 1,5	B 6,2	24	12	10	16	5	4	11
M 16 x 1,5	B 8,2	32	16	12	20	7	6	13
M 16 x 1,5	B 10,2	32	16	12	20	7	6	13
M 16 x 1,5	B 12,2	32	16	12	20	7	6	13

Specification

GN 412.3

Steel

- Hardened
- Blackened

GN 412.5

Stainless steel AISI 431

Hardened

RoHS

Technical Information	Page
Stainless Steel Characteristics	QVX

Accessory

GN 412.1 Mounting Blocks (Zinc Die Casting)	QVX
GN 612.1 Mounting Blocks (Steel / Stainless Steel)	QVX
GN 909 Thin Hex Nuts (Steel)	QVX
GN 909.5 Thin Hex Nuts (Stainless Steel)	QVX

Positioning bushings GN 412.3 / GN 412.5 are used in connection with bolts of indexing plungers.

The threads are adapted to the mounting blocks GN 412.1 and GN 612.1.

see also...

GN 412.2 Positioning Bushings (Steel, with Collar)	QVX
GN 412.4 Positioning Bushings (Stainless Steel, with Collar)	QVX

How to order (Steel)

GN 412.3-M12x1,5-B4,2	1	d ₁
	2	d ₂

How to order (Stainless steel)

GN 412.5-M16x1,5-B8,2	1	d ₁
	2	d ₂