



elisa
Original design EKK.p



1 d ₁	2 d ₂	3 Length l			d ₃	h ₁	h ₂	
16	M 3	10	16	-	-	8,5	13	8,5
18	M 4	10	16	-	-	10,5	15,5	10,5
21	M 5	10	16	20	-	12,5	18	10,5
21	M 6	16	20	30	-	12,5	18	10,5
25	M 6	16	20	25	30	14,5	22,5	14
25	M 8	20	25	30	40	14,5	22,5	14
31	M 8	20	25	30	40	18,5	27	17
31	M 10	30	40	-	-	18,5	27	17

Specification

- Plastic
Technopolymer (Polyamide PA)
- Glass fiber reinforced
- Temperature resistant up to 130 °C
- Color
Black-gray, RAL 7021, matte finish ● **SG**
- Threaded stud
Steel
Zinc plated, blue passivated
- *Plastic Characteristics* → Page 2158
- **RoHS**



Information

The design of the GN 676 knurled screws matches the product family Ergostyle®.

These knurled screws are used for manual applications for clamping or pulling. The concave top of the nut is a comfortable rest point for the thumb during a pulling application.

The knurled section makes the knobs easier to install and also allows them to be used as knurled screws.

see also...

- *Product Family Ergostyle®* → Page 18
- *Mushroom Type Knobs GN 76* → Page 81

How to order

GN 676-31-M8-20-SG

- 1** d₁
- 2** d₂
- 3** Length l
- 4** Color

