



2

Length **l** (Scale)

50	100	150	200	300	400	500	750*	1000*
----	-----	-----	-----	-----	-----	-----	------	-------

* The NI-version of this length consists of 2 parts.

Specification	<div>1</div>
Stainless steel	NI
• Thickness 0,6 mm	
• Scale etched	
Plastic	KUS
• Thickness 0,3 mm	
• Highlighted in silver	
• Scale printed	

RoHS

The position of linear actuator connectors can be easily read from GN 711 rulers. With indicator arrows GN 711.1, reference points can be marked on rulers or reference positions in machines.

The adhesive tape on the rear allows you to affix rulers or reference arrows on all suitable and clean surfaces after the protective film is removed. The top of the stainless steel rulers is also protected by additional protective film.

Indicator arrows GN 711.1 for rulers are to be ordered separately.

see also...	Page
GN 711.2 Rulers (Aluminum, with Mounting Holes)	QVX
GN 711.3 Indicator Arrow for Rulers (Aluminum, with Mounting Holes)	QVX

<div>How to order (Ruler)</div> <div><div>1</div><div>2</div><div>3</div><div>4</div></div> <div>GN 711-NI-100-W-L</div>	<table><tr><td>1</td><td>Material</td></tr><tr><td>2</td><td>Length l (Scale)</td></tr><tr><td>3</td><td>Type</td></tr><tr><td>4</td><td>Sequence of the figures</td></tr></table>	1	Material	2	Length l (Scale)	3	Type	4	Sequence of the figures
1	Material								
2	Length l (Scale)								
3	Type								
4	Sequence of the figures								
<div>How to order (Indicator arrow)</div> <div><div>1</div></div> <div>GN 711.1-KUS</div>	<table><tr><td>1</td><td>Material</td></tr></table>	1	Material						
1	Material								