


Cam action indexing plungers / Spring latches - Types

Unlocking by turning the plunger over curves

GN 612
GN 612 ... NI
Page 704

Ø 4 / 5 / 6 / 8 / 10 / 12



Features:


- Guide steel, blackened or Stainless Steel
- Plunger pin steel, nitrided resp. Stainless Steel
- Latch steel, blackened resp. Stainless Steel
- Latch with or without plastic cover
- High precision plunger pin guide

3.1

3.2

GN 612.8
Page 705

Ø 4 / 5 / 6 / 8 / 10 / 12



Features:

- Guide zinc die casting with nano®-coating
- Plunger pin steel, zinc plated
- Latch plastic
- Reasonably priced versions


3.3

GN 712

Page 706

Ø 6 / 8 / 10

Plunger pin in
standard position
protruded



Features:

- Plunger in end positions locked, not locked or arrested and additionally locked (safety version)
- Guide steel, zinc plated
- Plunger pin Stainless Steel
- Latch plastic

3.4


3.5

GN 712.1

Page 707

Ø 6 / 8 / 10

Plunger pin in
standard position
retracted



Features:

- Guide steel, blackened or Stainless Steel
- Plunger pin steel, nitrided resp. Stainless Steel
- Latch steel, blackened resp. Stainless Steel
- Right- or left-hand lock
- Latch with or without plastic cover
- High precision plunger pin guide

3.6

3.7


GN 721

GN 721.5

Page 708 / 709

Ø 5 / 6 / 8 / 10

without locking function



Features:

- Guide steel, blackened or Stainless Steel
- Plunger pin steel, nitrided resp. Stainless Steel
- Latch steel, blackened resp. Stainless Steel
- Right- or left-hand lock
- Latch with or without plastic cover
- High precision plunger pin guide

3.8

3.9


GN 721.1

GN 721.6

Page 708 / 709

Ø 5 / 6 / 8 / 10

with locking function




Cam action indexing plungers / Spring latches - Types

Unlocking by turning the plunger over curves

GN 612.2

Page 710

Ø 6 / 8 / 10 / 12




Features:

- Guide steel, blackened
- Plunger pin steel, nitrided
- Latch steel, blackened
- Latch with or without plastic cover

GN 612.9

Page 711

Ø 6 / 8 / 10 / 12




Features:

- Guide, zinc die casting, black plastic coated
- Plunger pin steel, zinc plated
- Latch plastic
- Reasonably priced versions

GN 722.3

Page 712

Ø 8 / 10 / 12 / 14




Features:

- Guide steel (precision casting), zinc plated or black plastic coated
- Plunger pin steel, zinc plated
- Latch steel, zinc plated
- Left or right indexing cam
- Designed for use in „steel construction“ or in „locksmith shops“ i.e. for less precise positioning

GN 722.2

Page 714

Ø 8 / 10 / 12 / 14




Features:

- Guide steel (precision casting), zinc plated or black plastic coated
- Plunger pin steel, zinc plated
- Latch position right-angled or parallel to fixing holes
- Designed for use in „steel construction“ or in „locksmith shops“ i.e. for less precise positioning

GN 612.10

Page 715

Ø 6 / 8 / 10 / 12




Features:

- Guide, zinc die casting, black plastic coated
- Plunger pin steel, zinc plated
- Latch plastic
- Reasonably priced versions

Cam action indexing plungers / Spring latches - Types

Unlocking by turning the plunger over curves


GN 612.3
GN 612.3 ... NI
Page 716
Ø 6 / 8 / 10 / 12



Features:

- Cam action indexing plunger for welding
- Guide steel, blackened or Stainless Steel
- Plunger pin steel, nitrided or Stainless Steel
- Latch with or without plastic cover

GN 722.1 ... ST
GN 722.1 ... A4
Page 717
Ø 8 / 10 / 12 / 14



Features:

- Cam action indexing plunger for welding
- Guide steel precision casting, blackened or Stainless Steel-precision casting
- Plunger pin steel, zinc plated or Stainless Steel
- Latch steel precision casting, blackened or Stainless Steel-precision casting
- Designed for use in „steel construction“ or in „locksmith shops“ i.e. for less precise positioning

3.1

3.2

3.3

3.4

3.5

3.6

3.7

3.8

3.9

